Meeting of 27 June. 1969. at St. Louis. Mo.

_		STAT
T	met to discuss the program for use of the	STAT
T	infra-red optometer for the study of visual problems related to binocular microscopy.	017(1
ίΤ	Initially, presented the blue prints for the microscope being built by noted that the adjustment for PD was somewhat clumsy to use if it involved loosening of three screws on the right eyepiece holder for each adjustment. Secondly, since the optometer is used on the right eye, changes of PD involve realignment of the optometer. An important drawback noted was that the center of rotation of the eyepieces was not the same as the center of rotation for each eye, necessitating adjustment of the PD for each convergence setting. It was recommended that furnish a table giving the appropriate settings of convergence angle for a range of PDs. A question was also raised that since the distance between the ocular and eye of the observer was set at 50mm in order to accomôdate the beam splitter of the optometer, the field of	STAT
λT	view might be somewhat diminished from that of a normal microscope. The second topic of discussion was the type of stimulus material to be used in the experiment and the task to be performed by the observer	STAT
ΛT	suggested that perhaps a target could be employed as an additional stimulus. Since the target varies by diminishing line width on one dimension and contrast on the other, acuity of the subject can be inferred from the subject's report of where on each dimension resolution is lost.	STAT
	The next consideration involved the general design of the experiment. It was agreed that the primary independent variables should be the amount of convergence induced and the task loading.	
	Effects of long term viewing i.e., over thirty minutes per session was deferred as a variable because of the limited time	

Declass Review by NIMA/DOD

available for use of the optometer and the somewhat constrained

position (bite bar) of the subject which is unlike the normal condition of microscopy. It was further agreed that the subject population should consist of young people with normal color vision and no uncommon refractive errors, although uncorrected 20/20 vision is not required. These subjects will have lenses equivalent to their perscription fitted into the eyepieces of the microscope. If elt that the individuals concerned with the carrying out of the experiment could be utilized for tests on mildly presbyopic observers. Secondly, he recommended that all potential subjects have optometric examinations which would include cycloplegic and manifest refraction, and the determination of phorias and fusional reserves.

STAT

An ancilliary experiment was discussed which would determine the validity of the laser refraction technique for the study of accomodation. It was felt it would be necessary to determine not only the correlation between the laser and optometer methods but also if the presence of the laser spot in the subjects' field of view would itself elicit an accomodative response. The method would generally involve introduction of the laser target through the eyepiece of the left eye while monitoring the right eye with the optometer. In the event that the optometer is available at night, it was felt that the main experiment should be performed during the day and the laser experiments in the evening.

STAT

indicated that he would draw up a tentative schedule for the experiment and distribute it to the participants for comments. Since will be available only for the first two days, the general procedure of preliminary testing will be done during this period. The remainder of the week would be devoted to investigation of the most interesting problems which arise during the first two days. It was thought that this somewhat flexible approach will prove to be more useful than a completely a priori design.

STAT